

(English)User Consent Acquisition System: uApproveJP (uApprove Jet Pack)

[日本語版ページはこちら。](#)

About uApproveJP (uApprove Jet Pack)

Historical [uApprove](#) developed by SWITCH was a plugin for Shibboleth IdP to provide user consent feature on release of user's attributes. uApproveJP (Jet Pack), which is an extension of the uApprove, allows users to select attributes to be released. uApproveJP was called uApprove.jp formerly. uApproveJP works as follows:

1. Redirected to an IdP from an SP, and IdP requires a pair of username and password.

The screenshot shows a login interface for 'Our Identity Provider'. At the top, there is a placeholder for an organizational logo. Below this, the text 'Login to file sharing service' is displayed. The login form includes fields for 'Username' and 'Password', with links for 'Forgot your password?' and 'Need help?'. There are two checkboxes: 'Don't Remember Login' and 'Clear prior granting of permission for release of your information to this service.'. A red 'Login' button is at the bottom. Below the button, there is a 'default SP description' field. At the very bottom, there is a grey bar with the text 'Insert your footer text here.'


2. All attributes to be sent are shown according to attribute-filter configuration. Optional attributes for the SP are shown with check boxes. User can control release of attributes by switching the check boxes. Mandatory attributes must be defined in metadata provided by the SP with [the isRequired boolean attribute of the RequestedAttribute element](#).

The screenshot shows a consent page titled 'Our Identity Provider'. It includes a placeholder for an organizational logo and a description of the service: 'You are about to access the service: File sharing service of Example1 University. Description as provided by this service: default SP description'. Below this is a table titled 'Information to be Provided to Service' with columns for attribute name, value, and a checkbox. The table lists 'Affiliation' (member, student), 'Display Name' (TEST fare), and 'Email' (testtaro@example1.ac.jp). Below the table, there is a text block asking for consent to share information. Then, there is a section titled 'Select an information release consent duration:' with three radio button options: 'Ask me again at next login', 'Ask me again if information to be provided to this service changes', and 'Do not ask me again'. Each option has a sub-link to agree. At the bottom, there are 'Reject' and 'Accept' buttons.

Information to be Provided to Service		
Affiliation	member student	☒
Display Name	TEST fare	☐
Email	testtaro@example1.ac.jp	☐

This page is shown only first time of access to each SP unless value of any attributes is changed. You can also request to show the page again by checking "Reset my attribute release approvals." at entering username/password.

3. Mandatory attributes and selected optional attributes are sent to the SP.



- binary distribution package of uApproveJP-4.0.0
- source distribution package of uApproveJP-4.0.0
- installation document in English
- user manual in English

- binary distribution package of uApproveJP-3.4.0
- source distribution package of uApproveJP-3.4.0
- installation document in English
- user manual in English

- [binary distribution package of uApproveJP-3.2.0](#)
- [source distribution package of uApproveJP-3.2.0](#)
- [installation document in English](#)
- [user manual in English](#)

- binary distribution package of uApproveJP-2.5.1
- source distribution package of uApproveJP-2.5.1
- installation document in English
- user manual in English

- binary distribution package of uApproveJP-2.5.0
- source distribution package of uApproveJP-2.5.0

- [binary distribution package of uApprove.jp-2.2.1c](#)
- [source distribution package of uApprove.jp-2.2.1c](#)
- [installation document in English](#)
- [user guide in English](#)

(old version: uApprove.jp-2.2.1b)

- [binary distribution package of uApprove.jp-2.2.1b](#)
- [source distribution package of uApprove.jp-2.2.1b](#)

(old version: uApprove.jp-2.2.1a)

- [binary distribution package of uApprove.jp-2.2.1a](#)
- [source distribution package of uApprove.jp-2.2.1a](#)

(old version: uApprove.jp-2.2.1)

- [binary distribution package of uApprove.jp-2.2.1](#)
- [source distribution package of uApprove.jp-2.2.1](#)

(old version which supports Shibboleth IdP 2.1.3)

- [source of uApprove.jp plugin module](#)
- [patch for uApprove-2.1.3](#)
- [binary distribution package for uApprove-2.1.3](#)
- [installation document in Japanese](#)
- [installation document in English](#)
- [configuration](#)

Publications

- Tananun Orawiwattanakul, Kazutsuna Yamaji, Motonori Nakamura, Toshiyuki Kataoka, Noboru Sonehara: User Level Export Control of Personal Information in a Federated SSO Environment Using Shibboleth, Proceedings of [IEICE](#) 2010 General Conference, Vol.2, pp. S124-125 (BS-7-3), 2010/3.
- Tananun Orawiwattanakul, Kazutsuna Yamaji, Motonori Nakamura, Toshiyuki Kataoka, Noboru Sonehara: [User Consent Acquisition System For Japanese Federation \(GakuNin\)](#), TERENA Network Conference (TNC2010), Vilnius, Lithuania, 2010/5/31-6/3.
- Tananun Orawiwattanakul, Kazutsuna Yamaji, Motonori Nakamura, Toshiyuki Kataoka, and Noboru Sonehara: [User-controlled Privacy Protection with Attribute-filter Mechanism for a Federated SSO Environment using Shibboleth](#), Proceedings of Fifth International Conference on P2P, Parallel, Grid, Cloud and Internet Computing (3PGCIC 2010), pp. 243-249, 2010/11.
- Tananun Orawiwattanakul, Kazutsuna Yamaji, Motonori Nakamura, Toshiyuki Kataoka, Noboru Sonehara: [User Consent Acquisition System for Japanese Shibboleth-based Academic Federation \(GakuNin\)](#), International Journal of Grid and Utility Computing (IJGUC), Vol. 2, No. 4, pp. 284-294, 10.1504/IJGUC.2011.042944, 2011/10
- Motonori Nakamura, Takeshi Nishimura, Kazu Yamaji: [uApprove.jp: User Consent Acquisition System in GakuNin](#), TERENA Network Conference (TNC2012), Reykjavik, Iceland, 2012/5/21-24.

References

- Attribute Release Consent on Shibboleth IdP 3: <https://wiki.shibboleth.net/confluence/display/IDP30/ConsentConfiguration>
- Shibboleth IdP Installation: <https://wiki.shibboleth.net/confluence/display/IDP30/Installation>
- Shibboleth source code access: <https://wiki.shibboleth.net/confluence/display/DEV/Source+Code+Access>
- uApprove: <https://www.switch.ch/aai/support/tools/uapprove/>

ファイル	変更日
ZIP アーカイブ uApprove.jp-2.2.1a-EU1-bin.zip	2013/07/01 by misatou
ZIP アーカイブ uApprove.jp-2.2.1a-EU1-src.zip	2013/07/01 by misatou

[すべてダウンロード](#)

[日本語](#)